# REHAB SEATING SOLUTIONS





## **TABLE OF CONTENTS**

| 3    |
|------|
| 4-6  |
| 7-8  |
| 9-10 |
| 11   |
| 12   |
|      |





# BRODA®

When it comes to rehabilitation care, the right wheelchair and seating can be the difference between a positive patient outcome and a poor one. Broda is committed to configuring chairs that are tailored to the needs of each individual user.

With tilt functionality, dynamic rocking functions, removable arm supports for easy side transfers, and a variety of available leg supports and accessory options, our rehab wheelchairs are ideal for many use cases.

# SEATING SERIES X®

The Matrx<sup>®</sup> Seating Series from Motion Concepts is a simple and yet highly effective solution to meet the widest range of user needs. With the number of new seating and positioning products available today, it is only natural to choose the products you know best. As the landscape of seating changes, Matrx<sup>®</sup> stands out for its dedication to innovation, quality, and comfort.

## TILT WHEELCHAIRS INDEPENDENT USERS

# Encore

Rehab Wheelchair

## The Encore of Comfort, Functionality, and Adjustibility



Chair shown with Matrx Libra cushion, Matrx Elite TR back, Matrx Elan headrest, and swing away lower leg supports. Frame in Carmine Red.

# mobility

#### **RECOMENDED FOR:**

More active users who can self propel with hands or feet.

### **SPECIFICATIONS**

| HCPCS Code              | E1161, plus additional coded accessories                    |
|-------------------------|---|
| Degrees of Tilt         | up to 33° (combined with rocking feature)                   |
| Weight Capacity         | up to 250 lbs.  |
| Seat Widths             | 16", 18", 20", 22"  |
| Seat Depths             | 16", 17", 18", 19", 20"                                     |
| Back Canes              | 16", 18", 21", 24"<br>Angle adjustable to 5°, 10°, 15°, 20° |
| Seat Surface<br>Heights | Adjustable 14" - 19"  |
| Wheels - Casters        | 5" rear total lock<br>5" rear aluminum non-locking          |
| Wheels - Mag Wheels     | 20" or 22" front mount                                      |

## **FEATURES**



Swing away leg supports



Elevating leg supports



Folding back canes



Removable arm supports



Optional dynamic rocking

## FRAME OPTIONS



DEEP ORANGE

| OCFAN |  |
|-------|--|
| BLUE  |  |
| DLUL  |  |











## Simplified Versatility and Durability



Chair shown with Matrx Vi cushion, Matrx Elite deep back, and elevating lower leg supports. Frame in Zinc Yellow.

#### **RECOMMENDED FOR:**

Less active users who need more degrees of tilt for increased pressure relief.

## **SPECIFICATIONS**

| HCPCS Code              | E1161, plus additional coded accessories           |
|-------------------------|--|
| Degrees of Tilt         | up to 45°  |
| Weight Capacity         | up to 250 lbs.                                     |
| Seat Widths             | 16", 18", 20", 22"                                 |
| Seat Depths             | Adjustable 16" - 20"                               |
| Adjustable Back Angle   | 5°, 10°, 15°, 20°                                  |
| Seat Surface<br>Heights | Adjustable 14" - 19"                               |
| Wheels - Casters        | 5" rear total lock<br>5" rear aluminum non-locking |
| Wheels - Mag Wheels     | 20", 22", or 24" rear mount                        |

#### **FEATURES**



Swing-away leg supports



Elevating Leg supports



Infinitely-adjustable tilt



Removable arm supports



Adjustable back recline





# **Synthesis**

## Rehab Wheelchair



## Maximum comfort for recovery

#### **RECOMMENDED FOR:**

Caregiver-dependent users who need tilt and recline.

#### **SPECIFICATIONS**

| HCPCS Code             | E1161, plus additional coded accessories  |
|------------------------|---|
| Degrees of Tilt        | up to 40°   |
| Degrees of Recline     | up to 90°   |
| Weight Capacity        | 350 lbs.  |
| Seat Widths            | 16", 18", 20", 22", 24", 26"  |
| Seat Depths            | 17", 18.5", 20", 22"  |
| Seat Surface Heights   | 19.5", 20.5", 22", 23.5"  |
| Wheels - Mag Wheels    | 14", 20" rear mount mag wheels<br>14" mid mount mag wheels  |
| Wheels - Caster Wheels | 5" Front total lock or non-locking caster wheels<br>6" Rear multi-directional locking caster wheels |

Chair shown with Matrx Libra cushion, Matrx Elite TR back, and swing away lower leg supports. Frame in Carmine Red.

## FEATURES



*Tilt functionality* provides additional pressure offloading

### FRAME OPTIONS





Front pivot seat tilt maintains a forward line of sight



Adjustable upper lateral supports fit a variety of users



Solid seat pan provides support for a variety of cushions



## TILT WHEELCHAIRS CAREGIVER DEPENDENT

#### **RECOMMENDED FOR:**

Less independent users who need more degrees of tilt and recline for increased pressure relief



Chair shown with Matrx PS cushion, pelvic positioning belt, and front caster options. Upholstery in Silvertex Sapphire.

## Latitude Rehab Wheelchair

The Latitude Rehab allows for smooth foot and hand propulsion and a unique dynamic rocking feature for mental contentment.

## **SPECIFICATIONS**

| HCPCS Code              | E1161, plus additional coded accessories           |
|-------------------------|--|
| Degrees of Tilt         | up to 33° (combined with dynamic rocking)          |
| Weight Capacity         | up to 250 lbs.                                     |
| Seat Widths             | 16", 18", 20", 22"                                 |
| Seat Depths             | 15.5", 17", 18.5", and 20"                         |
| Back Height             | 32", 33.5", 35"                                    |
| Seat Surface<br>Heights | Adjustable 14" - 19"                               |
| Wheels - Casters        | 5" rear total lock<br>5" rear aluminum non-locking |
| Wheels - Mag Wheels     | 20", 22" front mount                               |



## Rehab Wheelchair

The Elite Rehab provides additional degrees of tilt and recline for advanced pressure redistribution and a higher level of comfortable care.

## **SPECIFICATIONS**

| HCPCS Code          | E1161, plus additional coded accessories           |
|---------------------|--|
| Degrees of Tilt     | up to 40°  |
| Degrees of Recline  | up to 15°  |
| Weight Capacity     | up to 350 lbs.                                     |
| Seat Widths         | 16", 18", 20", 22", 24", 26", 28"                  |
| Seat Depths         | 17", 18.5", 20", 22"                               |
| Back Height         | 32", 33.5", 35"                                    |
| Wheels - Casters    | 5" rear total lock<br>5" rear aluminum non-locking |
| Wheels - Mag Wheels | 14", 20", 22" rear mount                           |

#### **RECOMMENDED FOR:**

Less independent users who can self-propel with hands or feet.



Chair shown with Matrx PS cushion. Upholstery in Silvertex Sapphire.

6

# SEATING





Those at highest risk, with a history of or existing skin breakdown.

**Cover** – Moisture resistant Startex cover with zippered side pocket, lifting strap, slip resistant base and hook and loop fasteners for attachment to chair. **Liner** – Moisture proof urethane slipcover

**Fluid Sac** – Non-temperature sensitive, no kneading or maintenance required. Three chamber design keeps fluid where it is required. Provides envelopment and shear protection to bony prominences.

**Foam** – HR (high resilient) molded foam made with UltraFresh antimicrobial for odor protection. Contoured pelvic well maintains level pelvis and helps prevent sliding. Waterfall front edge facilitates safe transfers. Molded in loop fabric for easy and secure attachment of Fit Kit accessories if required.

### **SPECIFICATIONS**

|                 | Standard Cushion | Heavy Duty Cushion |
|-----------------|------------------|--------------------|
| Weight Capacity | 300 lbs.         | 600 lbs            |
| Widths          | 16", 18", 20"    | 22", 24"           |
| Depths          | 16", 18", 20"    | 18", 20"           |
| HCPCS           | E624             | E265               |

#### **RECOMMENDED FOR:**

Those at moderate-to-high risk of skin breakdown.

**Cover** – Moisture resistant Meshtex<sup>™</sup> cover includes lifting strap, slip resistant base, hook and loop fasteners for attachment to chair.

Liner - Wipeable, moisture resistant Startex.

**Top layer** – Molded HR (high resilient) foam made with UltraFresh antimicrobial for odor protection. Contoured for midline leg position and waterfall undercut to facilitate safe transfers.

**Ischial insert** - Supersoft viscoelastic foam insert for envelopment and protection of bony prominences.

**Bottom Layer** – Firm HR foam base provides stability and protection against bottoming out.

|                 | Standard Cushion | Heavy Duty Cushion |
|-----------------|------------------|--------------------|
| Weight Capacity | 300 lbs.         | 600 lbs            |
| Widths          | 16", 18", 20"    | 24"                |
| Depths          | 16", 18", 20"    | 18", 20"           |
| HCPCS           | E2607            | E2608              |









SEATING

### For convenience, all seating options ship on chair.



Cushion





#### **RECOMMENDED FOR:**

Those at moderate-to-high risk of skin breakdown.

**Cover** – Reversible, moisture resistant Startex cover can be used fabric or wipeable side out. Hook and loop fasteners for attachment to chair. **Liner** – Wipeable, moisture resistant Startex.

**Polymer Insert** – Molded-in polymer gel provides extra skin protection and shear reduction

**Foam** – HR (high resilient) molded foam made with UltraFresh antimicrobial for odor protection. Waffled ischial relief area immerses pelvis and helps prevent sliding. Waterfall front edge to facilitate safe transfers.

#### **SPECIFICATIONS**

|                 | Standard Cushion |
|-----------------|------------------|
| Weight Capacity | 300 lbs.         |
| Widths          | 16", 18", 20"    |
| Depths          | 16", 18", 20"    |
| HCPCS           | E2607            |

#### **RECOMMENDED FOR:**

Those at low-to-moderate risk of skin breakdown.

**Cover –** Moisture resistant Startex cover with zippered side pocket, lifting strap, slip resistant base and hook and loop fasteners for attachment to chair. **Liner –** Moisture proof urethane slipcover

**Foam –** HR (high resilient) molded foam made with UltraFresh antimicrobial for odor protection. Contoured pelvic well maintains level pelvis and helps prevent sliding. Waterfall front edge facilitates safe transfers. Molded in loop fabric for easy and secure attachment of Fit Kit accessories if required.

**Ischial relief area** – Waffled ischial relief area immerses pelvis and helps prevent sliding.

|                 | Standard Cushion | Heavy Duty Cushion |
|-----------------|------------------|--------------------|
| Weight Capacity | 300 lbs.         | 600 lbs.           |
| Widths          | 16", 18", 20"    | 22", 24", 26"      |
| Depths          | 16", 18", 20"    | 18", 20"           |
| HCPCS           | E2605            | E2606              |

## **BACKS SUPPORTS**

## Easy Set Hardware

Included on all backs





SEATING SERIES



**ROTATION** Back may be oriented to accommodate pelvic/trunk rotation



**ANGLE** 20° posterior/anterior range of back angle adjustment in front of back canes



**DEPTH** Adjusts 2" behind back canes



**DEPTH** Adjusts 2" in front of back canes



Back Supports



#### **RECOMMENDED FOR:**

All wheelchair users and suppliers looking for the best in back comfort, adjustability and support.

**Shell** – Designed for superior support and functionality with accessory openings and notched sacral cutout.

**Foam** – Contoured ripple foam with airflow channels creates extra immersion, temperature control, and shear reduction.

**Cover** – Meshtex<sup>™</sup> outer cover is moisture resistant and breathable providing airflow, comfort, and protection.

Hardware - Easyset height and width increased adjustability makes it effortless to fit and adjust wheelchair sizes now including more incremental widths.

|                 | Standard Back                        | Heavy Duty Back |
|-----------------|--------------------------------------|-----------------|
| Weight Capacity | 300 lbs.                             | 500 lbs.        |
| Widths          | 14", 15", 16", 17", 18",<br>19", 20" | 22", 24"        |
| Heights         | 12", 14", 16", 18", 20"              | 20"             |
| Contour Depth   | 3"                                   | 6"              |
| HCPCS Code      | E2615                                | E2620           |

# BACK SUPPORTS

## For convenience, all back options ship on chair.

# Elite (TR/Deep)

Back Supports



#### **RECOMMENDED FOR:**

Active users who want shoulder or hip clearance, or the ability to use add-on lateral supports Compatible with Encore Rehab and Comfort Rehab.

**Shell** – Contoured aluminum with cutouts for lifting and breathability. Available in standard (3") OR deep (6") contours.

Foam - HR (high resilient) foam enclosed in cover

**Cover** – Meshtex<sup>™</sup> moisture resistant cover with foam overlaps the shell to provide comfort and protection.

Hardware – Easy adjustment of height/depth/angle and rotation for optimal positioning. Quick release for portability.

### **SPECIFICATIONS**

|                 | Standard Back | Heavy Duty Back |
|-----------------|---------------|-----------------|
| Weight Capacity | 300 lbs.      | 500 lbs.        |
| Widths          | 16", 18", 20" | 22", 24", 26"   |
| Heights         | 16″, 18″, 20″ | 16", 18", 20"   |
| Contour Depth   | 3"            | 6"              |
| HCPCS Code      | E2620         | E2621           |



Back Supports



#### **RECOMMENDED FOR:**

Less active users who want exceptional comfort and a gently contoured shape

**Shell** – Lightweight ABS shell available in standard (5") or deep (7") contour depths **Foam** – Molded HR (high resilient) foam made with UltraFresh antimicrobial for odor protection.

**Cover** – Attractive, moisture resistant Meshtex<sup>™</sup> upholstered cover. **Hardware** – Easy adjustment of height/depth/angle and rotation for optimal positioning. Quick release for portability.

|                 | Standard Back |
|-----------------|---------------|
| Weight Capacity | 300 lbs .     |
| Widths          | 16", 20"      |
| Heights         | 16", 18", 20" |
| Contour Depth   | 5", 7"        |
| HCPCS Code      | E2615         |

# HEAD SUPPORT



# Loxx & Elan

Head Supports



## HARDWARE



Highly-adjustable HCPCS E0128

## **OPTIONS**

Standard Pad HCPCS E0955



**FEATURES** 

Tool-less Adjustment levers



Ergonomic Adjustment Knob



4-point Pad with Headband HCPCS E0955

## SEATING ACCESSORIES

Elan



PELVIC **OBLIQUITY KIT** Designed to accommodate up to 1" obliquities.



#### RIGIDIZER Level support that eliminates hammock effect of sling seat upholstery. Securely fitted to bottom of

foam cushion inside the cushion cover.

CUSHION

HCPCS E0992



- Anterior Seat Wedge
- Hemi Wedge
  - Libra Fluid Supplement
  - Libra Abductor
  - Tapered Wedges



### **BACK ACCESSORIES**



**FIXED LATERALS** Height adjustable, installed inside back shell.

HCPCS E0956



SWING-AWAY LATERALS Height adjustable, installed inside back shell.

HCPCS E0128

PRIVACY FLAP Fits widths S 16", M 18", L 20", XL 22", XXL 24"





4-point Pad HCPCS E0955

# **Configure Your Rehab Chair**



HCPCS codes supplied are for reference only and do not ensure coverage or payment. The HCPCS provided are based on our interpretation of the code definitions. HCPCS codes are not intended to be, nor should be considered billing or legal advise. Providers are responsible for determining the appropriate billing codes when submitting claims to the Medicare Program and should consult an attorney or other advisor to discuss specific situations in further detail.

## brodaseating.com

**Broda USA** 15455 Conway Rd, Suite 200 Chesterfield, MO 63017, USA

**Broda Canada** 560 Bingemans Centre Dr Kitchener, ON N2B 3X9, Canada

MA

Ry.

# BRODA